


NOTE: PARTS SHOWN ON PART LIST ARE NOT TO SCALE











10 ft (3 m) SQUARE COMMERCIAL CANTILEVER UMBRELLA WITH BASE


ITM./ART. 811620

ASSEMBLY INSTRUCTIONS **IMPORTANT RETAIN FOR FUTURE** **REFERENCE: READ CAREFULLY**

For customer service in the US and Canada, call: 1-877-730-1583
Customer service hours are 9:00am-5:00pm, Monday-Friday (EST)



	PARTS LIST	DESCRIPTION	QTY
A		Frame and Canopy	1
B		Umbrella Cover	1
C		Umbrella Cover Support Rod	3
D		Operation Manual	1
E		Hardware Package (packed with umbrella) 3 allen wrenches, 5 spring washers 8 screws: M10x22/5pcs M8x8/2pcs M8x16/1pcs	1
F		Mounting Tube	1
G		Base Frame	1
H		Weights	4
I		Base Outer Shell	1
J		Hardware Package (packed with base) 4 screws M6x12 (screwdriver is not included), 4 foot pads, 1 wrench	1



CHECK LIST

1. Side Pole
2. Handle
3. Supporting Rod
4. Gas Piston
5. Cap
6. Diagonal Pole
7. Canopy
8. Base
9. Mounting Tube (inside pole 1)




Note: Parts 8 & 9 are packed in box 2

CAUTION:

1. Place the base in the desirable location for use before filling with sand and water.
After filling with sand and water, base is not easy to move (400lbs total weight).
2. To avoid personal injury or damage to the umbrella, make sure the area around you is clear from any outdoor structure or furniture.

ASSEMBLING THE BASE




- Only use the base provided with this umbrella. Other bases may not fit with this umbrella and could cause a safety issue leading to personal injury.
- Make certain the base is securely placed on flat surface before inserting the umbrella.



- Place the base frame in desired position. Fix the foot pads by screws(M6x12). Use the included wrench to adjust the leveling feet as needed.

- Fill the weights full with sand then add water to wet the sand.
(Sand : 360 lbs./163.6kg, Water: 18.2 litre)
The total weight of whole set base is recommend to reach 400lbs/181.4kg.

- Put the four weights in the base frame.




- Fix the mounting tube on the base frame. Using 5 pcs (M10x22) screws and spring washer with the provided allen wrench.


- Put the outer cover on the assembled base.

- Assembly of base complete.

ASSEMBLING THE UMBRELLA




- Use 2 people to put the umbrella on the mounting pole.




- Lift up handle and secure the umbrella with 3 screws using the included allen wrench.

OPERATING THE UMBRELLA

Step 1 & 2 to open




- Hold the handle and fully press the button in. Push upward to open the umbrella.




- Hold the handle until it reaches the top hole then the button will automatically release. The umbrella is fully opened.

Step 3 to rotate




- Lift the handle towards the bottom of the pole until you feel it release and then slightly lower the handle to rotate the umbrella. The umbrella can rotate into 10 fixed positions.

Step 4 to close



- Press the button on the handle to lower the umbrella and secure with strap.

UMBRELLA COVER



Caution:

- Umbrella cover should only be used when umbrella fabric is completely dry.
- Umbrella should be closed or stored indoors during windy conditions.
- Do not use during windy or severe weather conditions.

10 ft (3 m) SQUARE COMMERCIAL CANTILEVER UMBRELLA WITH BASE
LETTER OF WARRANTY
ITM./ART. 811620

Please be advised that the manufacturer provides a one-year warranty that the Commercial Cantilever Umbrella will be free from defects in original materials and workmanship.

Frame

Frames are warranted to be free from defects in materials and workmanship for a period of one year. Damage to frames due to improper assembly or exposure to water and sub-freezing temperatures is not covered.

Finish

The finish is warranted against peeling, cracking, or blistering for a period of one year provided the unit has not been scratched or abraded. Scratches and chips resulting from abnormal wear and tear are not covered. Fading resulting from exposure to elements is not covered.

Fabric

Fabric is warranted for a period of one year against separation at the seams. Fading or discoloration resulting from exposure to the elements, chemicals, or from spills is not covered.

Note: All operation should be according to the instruction manual.

* This warranty DOES NOT COVER the following items:

Failure caused by unreasonable or abusive use; failure caused by neglect of reasonable and necessary care; acts of nature (including but not limited to wind, hurricanes, tornadoes, and storms) are not covered by this warranty. ***The product is not covered by this warranty after one year from the date of purchase.***

If you have any questions, please call our Customer Service in the US and Canada at 1-877-730-1583, 9:00am - 5:00pm, Monday - Friday (EST) English and French spoken.